



octoplus 27 / 30



Discover the OctoPlus range

**HIGHER AND HIGHER
WITH THE NEW
OctoPlus 27 and 30**

Two great news from Oil&Steel

Take your professionalism to a new level.

From the pioneers of tracked platforms come **two new models** that once again raise the standards of the performance category to a **level for which there are no predecessors on the market.**



*octo*plus 27

Max working height	27m
Max horizontal working outreach	15m
Max load capacity	1000kg
Transport length	10.5m
Transport height	1.8m
Min transport width	1.8m
Open outriggers footprint	1.8m x 1.8m
Min total weight	1000kg

COMING
SOON

*octo*plus



octo plus 30

Max working height	29,6 m
Max horizontal working outreach	16,3 m
Max load capacity	280 kg
Transport length	6,47 m
Transport height	1,98 m
Min transport width	0,90 m
Open outriggers footprint	4,86 x 4,86 m
Min total weight	4950 kg

Perliminary data

Exceptional loading and reach capacities for a very small footprint, plus a **2-year warranty** and features that accompany all Oil&Steel models: Safety without compromise and absolutely efficient customer service.



2 CHAMPIONS FOR SO MANY GOOD REASONS

280 Kg max rated load /

Best outreach vs override height /

180° movement jib /

7" Turret color display /

Advanced HMI & auto functions /

Most compact in its class /

Internal hoses & cables /

No side block with reduced footprint /



PM OIL&STEEL SPA

S. Cesario sul Panaro
IT - 41018 - Modena
Via G.Verdi, 22

Tel.: +39 059 936811
Fax: +39 059 936800

info@oilsteel.com
www.oilsteel.com



Oil&Steel is a brand of Manitex International